

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



TRADE LIST OF

Hardy American Plants, Shrubs and Trees



HIS elegant new Althea, originated in this nursery, has the same pure white flower with a rich velvet crimson centre as Hibiscus Crimson Eye, which I also introduced and which has become immensely popular. The flowers of Crested Beauty are neither single or double, but the pistil is capped by a crest of small petals which, while it gives a special elegance, does not conceal the beautiful radiating points of rich crimson which are projected into the

To sum up, this new Althea has the following points of special elegance:

It is the strongest and most vigorous grower.

It is the largest of all Altheas.

It will produce twice as many flowers as any other variety and continues longer in bloom, and last, but by no means least, the faded flowers do not disfigure the plants as in other sorts.

WM. F. BASSETT

HAMMONTON

6457

NEW JERSEY, U. S. A.



AZALEA CANESCENS

Pink Sweet Scented Azalea.

See pages 2 and 11 for description and price.

DAHLIAS

When I saw my first Dahlia, about seventy years ago, I commenced growing them, and have been at it ever since.

My collection has been systematically culled till only the best cut flower varieties are retained. These I can supply to growers at reasonable prices.

I know how to grow Dahlias for the flower market and will gladly give advice to any of my customers.

Terms and Remarks.

OUR TERMS are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates, respectively. Persons not known by us to be responsible and reliable, will be expected to send cash with order, or good references.

SHIPPING FACILITIES. Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates very low.

MAILING PLANTS. Small orders will be filled by mail when so requested, if the size of plant will permit; but postage will be added to bills so forwarded.

COLLECTED PLANTS. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" PULLED UP by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

TRANSPLANTED STOCK. To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

PACKING, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

To Our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Certificate of Inspection.

A copy of the Certificate of Inspection will accompany each shipment. We will fumigate stock when requested.

Novelties and Specialties.

New Althea Crested Beauty.—As a hedge plant.

The rich deep green foliage, the short stout growth, the extreme floriferousness, extending over a very long season, and the fact that the closer it is sheared in spring the more vigorous it grows and the larger and greater number of flowers it will produce make this the best of all deciduous hedge plants. The section of a nursery row represented on the first cover page of this catalogue gives some idea of how it will appear in a hedge, but this row had received very little care.

I have now (at the time of this writing, September 1st) hundreds of feet of rows that make a very much better showing. Landscape gardeners should stick a pin here.

Anchusa Italica, Dropmore Variety.

This is a greatly improved variety of the old Anchusa Italica which has been the special admiration of all who have seen it in bloom, and pronounced the finest blue flowered Herbaceous plant in cultivation. It will not come true from seed, and is propogated by root cutting, and every grower of Herbaceous plants should secure at least a few this fall for propagation in the greenhouse.

Plumbago Larpentæ.

Several rows of this old favorite blue flower, planted last year, have shown its special adaptation for a border plant or edging for a walk. If planted thickly it makes a perfectly regular line about a foot high and similar width that is in bloom throughout the season, and makes less trouble than almost any other edging, as it requires no shearing.

Chelidonium Majus.

Under the names Garden Celandine and Celandine Poppy, seventy-five years ago, this plant could have been found in the chip yard or by the stone fence of almostevery New England homestead, and aside from old associations it is a very desirable plant. Almost before the grass begins to grow in spring it throws up its mass of handsome foliage, which is soon followed by pretty, deep yellow flowers, and remains in bloom for a long time, and if the flower stems are removed when done blooming it will again give a mass of refreshing green.

Funkia Lancifolia.

This plant succeeds even better in a partial shade, and its long spikes of nodding lily-like flowers are very showy. I am offering this year some very strong 4-year clumps.

Azalea Canescens.

I consider this the best of our native Azaleas. It is the earliest to bloom, and its pink flowers are of a brighter color than any other sort, and in fragrance it far surpasses them all, having the same odor as the common grass pinks. I have a good stock of this fine shrub in both transplanted and collected stock, and I think this is the first time it has ever been offered.

Jlex Verticillata* (Winter Berry).

It may not be generally understood that this is directious and that a large portion, often most of those indiscriminately collected, are staminate and never bear fruit. I have propagated a quantity from plants which are pistillate and will bear fruit and offer them in this list.

Iris Siberica Orientalis.

This is one of the most beautiful Iris in cultivation. It is larger than the type and the foliage broader, and the color is a very rich violet blue. Every one who grows Iris should have it.

Collection of Choice Standard Phloxes.

Prices (for Fall only). Strong one-year-old field grown plants.
\$1.00 per 10. \$5.00 per 100. \$40.00 per 1000.

Bridesmaid. Tall. White, with large crimson-carmine centre.

Beranger. Dwarf. Ground color white, delicatety suffused with rosy pink.

Bacchante. Tall. Tyrian rose, with crimson-carmine eye.

Champs Elysee. Medium. A very bright rosy magenta.

Caran a' Ache. Dwarf. Geranium red, with old rose shadings and white eye.

De Miribel. Tall. White, suffused with bright rosy scarlet.

Eclareur. Tall. Brilliant rosy magenta, with lighter halo.

Eugene Danzervillier. Tall. Lilac, shading white toward the edges, large white centre.

H. O. Wigers. Tall. Pure white, with crimson eye

Jeanne d' Arc. Tall. Late pure white.

La Vague. Medium. Pure white, with aniline red eye

Luineaux. Dwarf. Soft rosy pink, with salmon eye.

Pantheon. Tall. Bright carmine rose.

Pecheur d'Island, Tall, Crimson red, suffused with cochineal and carmine-red eye.

R. P. Struthers. Tall. Rosy-carmine, with claret-red eye.

Sunshine. Dwarf. Large flower, aniline red, with crimson eye and light halo.

Thebaide. Dwarf. Carmine lake, with brighter shadings and aniline red eye.

Von Goethe. Tall. Tyrian rose, suffused with carmine lake and carmine-red eye.

Obergartner Wittig. Medium. Bright magenta, with crimson-carmine eye, large flower and truss.

New and Rare Phloxes.

Prices (for Fall only).

\$1.00 per 10. \$7.00 per 100. \$60.00 per 1000.

Albion. Medium. Very vigorous, with very large panicles of pure white flowers, with a faint aniline red eye.

B. Comte. Tall. Glowing reddish French purple.

Coquelicot. Dwarf. Pure scarlet, with crimson eye.

Edmond Rostand. Medium. Reddish violet, shading brighter toward the centre, with large white star-shaped centre.

Mrs. Jenkins. Tall. Early flowering, pure white.

Selma. Tall. Large flower, pale rose mauve, with distinct claret-red eye.

Vesuvius. Medium. Bright pure red, with French purple eye, rich and gay.

General List of Hardy Perennials

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

	Each	10	100	1000
Achillea eupatoria	. 15	\$0.75	\$5.00	
" millefolium roseum	10	.50	4.00	
"The Pearl	10	.40	4.00	
" tomentosa	. 15	.50		
Acorus calamus, collected	. 10	.50	3.00	
Adiantum pedatum	. 15	.6 o	3.00	\$25.00
Aletris farinosa, col	10	.50	2 00	12.00
Amsonia salicifolia	. 15	1.00		
Anchusa Italica Dropmore	. 50	2.50	15.00	
Andropogon macrourus, col		.50	2.00	15.00
Anemone Pennsylvanica	. 20	.75	5.00	
"nemorosa	. 15	.6 o	5 00	
Anemonella thalictroides, col	. 15	.60	3.00	
Apios tuberosa	. 10	.30	1.00	8.00
Aquilegia Canadensis	,	.75	5.00	
" hybrida	. 25	.75	4.00	
Aralia hispida, col.	. 15	.75		
Arenaria squarrosa, col	20	.70	3.00	25.00
Arisaema Dracontium, col		.80	4.00	
" triphyllum, col	. 10	.50	4.00	25.00
Asarum Canadense, col	. 15	.50	4.00	
Asclepias incarnata	. 10	.50	3.00	20.00
" obtusifolia, col	. 20	1.00		
" pulchra alba	. 50			
"tuberosa, col	. 20	1.00	6.0 0	40.00
Aspidium acrostichoides, col	. 10	.50	2.00	15.00
" aculeatum var. Braunii, col	. 50	1.50		
" cristatum, col	. 20	.70	4.00	
" goldianum, col		1.50		
" marginale, col		.50	2.00	15.00
" novaboracensis, col	. 10	.50	2.00	15.00
" spinulosum, col	. 15	.75	3.00	25.00
thelypteris, col	. 10	.50	2.00	15.00
Asplenium ebeneum, col		.50	2.00	15.00
" trichomanes, col		.60	3.00	
Aster concolor, col		1.00		
" linariifolius, col		.50	2.00	15.00
" longifolius, col	. 15	1.00		
" Nova Angliae	. 15	.60	4.00	
" " rosea	. 15	.75	5.00	

	Each	10	100	1000
Aster Mrs. F. Raynor	. 15	\$1.00		
" lævis	15	.75	\$5.00	
" lævis floribunda	25	I.Co	5.00	
" patens, col	. 10	.50		
" puniceus, col	20	.75		
" spectabilis, col	. 10	.50	2.50	\$15.00
" tradescantii, col	10	.40	2.50	15.00
" Tartaricus	15	.75	3.00	
" Tom Smith	. 15	1.00		
" White Queen	. 15	1.00		
Baptisia tinctoria, col	25	1.00	5.00	
Boltonia asteroides	. 15	.75		
" glastifolia	25	1.00		
" latisquamae	15	.75		
Botrychium Virginicum, col	20	.6 o	4.00	
Brasenia peltata, col	. 10	.50	4.00	20.00
Breweria Pickeringii, col.	. 25	1.00	6.00	
Brunella vulgaris, col	10	.50	2.00	15.00
Calamagrostis brevipilis, col	. 25	1.00	5.00	
" Nuttaliana, col	. 25	1.00	6.0 0	
Calla palustris, col	. 15	.75	4.00	
Calopogon pulchellus, col	. 15	.60	5.00	
Caltha palustris, col	15	.6 o	3.00	25.00
Camptosorus rhizophyllus, col	15	.60	2.50	
Cassia Marylandica	. 15	.50	5.00	
Chelidonium majus	. 25	I 50		
Chelone glabra, col	10	. 50	3.00	
Chimaphila maculata, col	. 15	.65	4.00	
" umbellata, col	. 15	.75	6.00	
Chrysopsis falcata, col	. 20	.50	3.00	10.00
" Mariana, col	10	.50	2.50	15.00
Cimcifuga racemosa, col	. 15	.6 o	3.00	20.00
Claytonia Virginica, col	. 15	.60	4.00	
Clintonia borealis, col	15	.6 o	4.00	
Coreopsis lanceolata	. 10	.50	2.00	15.00
Coronilla varia	IO	.60	4.00	
Cunilla Mariana, col	. 20	.60	3.00	
Cypripedium acaule, col	. 15	.75	4.00	
" large selected roots			6.00	
Dallibarda repens	. 15	1.00		
Dentaria laciniata, col	. 15	.60	3.00	
Dicentra Canadensis, col.	. 15	.75	2.50	15.00
" cucullaria, col	. 15	. 60	2,00	15.00
Dicksonia pilosiuscula	. 15	.60	2.00	10.00
Digitalis gloxinoides				

	Each	10	100	1000
Dioscorea villosa, col	. 25	\$1.50		
Dracocephalum Virginicum		.50	\$2.00	
Drosera filiformis, col	15	.60	1.50	\$10.00
" intermedia	. 15	.60		
Elodes Virginica, col	. 15	.60	3.00	15.00
Epilobium angustifolium, col	. 15	1.00	6.00	50.00
Erianthus alopecurodes, col	. 15	.60	3.00	
Eriocaulon gnaphalodes, col	. 15	.60	2.50	
" decangulare, col	. 15	.60	2 50	
Eriophorum Virginicum, col	. 15	.75		
" gracile, col	. 10	.75	5.00	40.00
Eryngium amethistinum	. 25	1.00		
" Virginicum	. 15	1,00	5.00	
Erythronium Americanum, col	. 15	.60		
Eulalia gracillima	. '10	.50	2.00	18.00
" Japonica variegata	. 15	.50	4.00	
" zebrina	. 15	.60	2.50	18 00
Eupatorium ageratoides	. 15	.75	4.00	
" col	. 15	.60	3.00	20.00
" purpureum, col	. 15	.60	4.00	30.00
Euphorbia corollata	. 15	.50	2.50	10.00
" ipecacuanhæ, col	. 10	.60	3.00	
Funkia lancifolia, very large clumps	. 50	1.25	10.00	
" lancifolia, strong	. 15	.60	3.00	25.00
" subcordata	. 25	2.00		
" Sieboldii	. 25	1.00		
Gaillardia grandiflora	. 20	1.00		
Galactea glabella	. 20	.80		
Gentiana Andrewsii, col	. 25	1.25	7.00	
" angustifolia, col		1.50	7.00	
" saponaria, col	. 25	1.00	7.CO	
Geranium maculatum, col	. 15	.60	2.50	
" sanguineum	. 15	.80	5.00	
Gerardia flava, col	. 20	.75		
Goodyera pubescens, col	. 30	1.00		
Gratiola aurea, col	. 15	.60	3.0 0	
Habenaria blephariglottis, col	. 15	.70	5.00	
" ciliaris, col	. 15	.75		
" cristata, col	. 25	1.50	10.00	
" lacera, col	. 25	.75	5.00	
Helenium autumnale superbum		.60	4.CO	25.00
" Boulanderii	. 15	.75	5.00	
TT 11 (1 (1C 1) 1	. 15	.60	3.00	20.00
" divaricatus, col	. 15	.60	4.0 0	25.00
"giganteus	. 15	.60	4.00	
" lætiflorus	, 10	.50	2,00	10.00

			÷ .	
	Each	10	100	1000
Helianthus Maximillianii	10	\$0.60	\$4.co	
" mollis	20	.75	4 00	
" orgyalis	15	75	5.00	
Helonias bullata, col.	20	.85	4.00	\$30.00
Hemerocallis Dumortieri	15	.60	3.00	25 00
" florham	30	.75		
" flava	20	.75	3.co	30.00
fulva	10	.60	2.00	15.00
" Middendorfiana	25	I.00		
Kwanso plena, var	25	1.25		
" Thunbergii	20	.75	4 00	
Hepatica acutiloba, col	15	60	4 00	25.00
" triloba, col	15	.60	4.00	25 00
Heuchera Americana, col.	15	.50	2.00	15.00
Hibiscus moscheutos	15	.60	3.00	20.00
" Crimson Eye	15	.65	3.00	20.00
Houstonia cœrulea, col.	15	.50	4.00	
Hypericum angulosum, col	15	1.00	5.00	
Iberis sempervirens	25	.75		
" superba	25	.75		
Ipomœa pandurata, col.	25	1.00	7.co	
Iris Germanica, Madam Cherau		.75	4.00	
" " Blue Bird	10	.75	4.00	
" " mixed		.50	2.00	
"	25	1.00	5.00	
" Kompferii, mixed	15	.75	4.00	
" prismatica, col	15	.60	3.00	20.00
" pumila	15	.60		
" pseudacorus	IO	.50	4.00	
"Siberica	15	.50	4.00	
" " alba	25	.60	4 00	
" orientalis	25	1.50	8.00	
"Eburna	15	.75	6.00	
" verna	15	.75		
" versicolor		.75	2.00	15.00
Lacnanthes tinctoria	10	.50	2.00	15.00
Liatris graminifolia, col	IO	.50	3.00	15.00
" pycnostachia	25	1.25	6.00	
" spicata	20	.75	5.00	
Lilium Philadelphicum, col	25	.80	5.00	
" superbum, col	20	.75		
" Canadense, col	20	.75	5.00	
Limnanthemum lacunosum		1.00	6.00	50.00
Linaria Canadense. col	10	.50	2.00	10.00
" vulgaris, col	15	.50	2.00	15.00
Liparis liliifolia, col.	25	1.25	8.00	

	Each	10	100	1000
Lobelia cardinalis, col	20	\$ 0.60	\$3.0 0	\$20.00
" syphilitica, col		.80	5.00	
Lophiola aurea, col	25	1.00	5.00	30.00
Lysimachia cıliata		.60	3.00	
" clethroides		.60		
" Nummularia	. 15	.6 o	3.00	
" punctata	. 15	.60	4.00	
" quadrifolia, col	. 15	.60	2.50	
stricta, col.		.60	3.00	
Lythrum salicaria superba	. 15	.80	4.00	
Mertensia Virginica, col	. 20	.75	3.50	25.00
Mikania scandens, col	. 25	1 00		
Mitchella repens, col	IO	.50	2 00	15.00
Mentha piperita	. 15	.75	3.00	
" viridis	15	. 75	3.00	
Narthecium Americanum, col	30	1.50	5.00	40.00
Nepeta glechoma	. 10	.50	2.00	
Nesæa verticillata, col	25	1.00	5.00	
Nuphar advena, col	25	1.00	6.00	
Nymphæa odorata, col.	. 25	.75	3.50	
" minor, col		.75	3.00	
Enothera fruiticosa, col	. 15	.60	2.00	18.00
"Youngii	-	.60	5.00	
Onoclea sensibilis, col	15	.50	3.00	20.00
" struthiopteris, col		1.75	7.00	
Opuntia Raffiinesquii	. 15	.60	2.00	15.00
Orontium aquaticum, col.	-	.90	6.00	45.00
Osmunda cinnamomea, col		1.00	6 00	45.00
"Claytoniana, col		.85	4 00	35.00
" regalis, col		I CO	6. co	40.00
Oxalis violacea, col		.60	3.00	7
Panicum virgatum, col.		.60	2.00	15.00
Pardanthus Chinensis	. 10	.50	4.00	- 5
Pentstemon barbatus Torreyí		.75	4.00	
" digitalis	20	1.00	5.00	
" pubescens, col		.60	2.50	20.00
Peltandra Virginica, col.	30	1.50	8.00	60.00
Phegopteris dryopteris		.60	0.00	00,00
"hexagonoptera		.60	3.00	
" polypodioides	_	.60	3.00	
Phlox divaricata, col	_	.75	3.00	25.00
" maculata, col		.75	3.50	23.00
" subulata	15	.60	3.30	
" " alba	. 15	.60		
"The Pearl	. 10	.60	4.00	
To: x x x x x x	. 15	1.00	4.00	
Physostegia Virginica	1.5	1.00		

All plants in this list are nursery grown, unless otherwise specified.

And a final state of the state				
	Each	10	100	1000
Physostegia Virginica alba		\$1.00	\$5.00	
Platycodon grandiflorum	. 25	.60	5.00	
" album		.60	5.00	
Plumbago larpentæ	. 25	.75	4.00	\$30 00
Podophyllum peltatum, col	. 15	.60	2.00	15.00
Pogonia ophioglossoides, col	. 20	.75		
Polypodium vulgare, col	. 15	.6 o	2.00	I 2.00
Pontederia cordata, col	. 20	.75	5.00	
Pteris aquilina, col.	. 15	.50	2.00	10.00
Pycnanthemum linifolium	. 10	.50		
Pyrola chlorantha, col.	. 15	.6 o	3.00	
" elliptica, col		.60	3.00	
" rotundifolia, col	. 15	.60	3.00	
Pyxidanthera barbulata, col	. 20	.75	4.00	35.00
Rhexia Mariana	. 15	.50	3.00	
" virginica	. 15	.50	4.00	
Rudbeckia hirta, col	. 15	.60	3 50	30.00
'' laciniata	. 15	.60	3.00	25.00
" fl. pl. (Golden Glow)	10	.50	3.50	
" speciosa	. 15	.80	5.00	
Sabbatia chloroides, col	. 25	.75	5.00	40.cc
" lanceolata, col	. 15	.60	4.00	35.00
Sagitaria latifolia, col	. 15	1.00	6.00	
" Englemanii, col	. 15	1.00	6.00	
Salvia lyrata	. 10	.50		
" azurea grandiflora	. 25	.75	5.00	
Sanguinaria Canadensis	. 15	.60	2.00	18.00
Sarracenia purpurea, col	. 25	.75	3.00	25.00
Scirpus Eriophorum, col	. 15	.60	4.00	
Sclerolepis verticillata, col	. 25	.75	4.00	
Sedum acre, col	. 10	.80	5.00	
" album	. 10	.40	1.50	10.00
" spctabile	. 15	.75	5.00	
" ternatum	. 15	.60	3.00	20.00
Silene Pennsylvanicum, col	. 20	.75	5 00	
" stellata, col	. 15	.60	3 co	
Smilacina bifolia, col	. 20	-75	3.00	25.00
" racemosa, col	. 20	.75	3.00	25.00
Solidago altissimum, col	. 15	.60	2.50	
" cæsia, col	15	.50		
" Canadensis	. 15	.60	2.50	
" lanceolata, col	-	.50	2.00	15.00
" memoralis, col	. 15	.60	2.00	15.00
" odora, col	. 10	.50	2.00	15.00
" puberula, col	. 15	.60		
" sempervirens	10	.6 o	2.50	20 00

	Each	IO	100	1000
Solidago tenuifolia, col	10	\$0.5 0	\$2.CO	\$15.00
" virgata, col	20	.75	3.00	25.00
Stokesia cyanea	10	.75	4.00	30.00
Tephrosia Virginica, col	15	.60	3.00	25.00
Thalictrum cornuti, col	20	.75	3.00	25.00
Tradescantia Virginica	15	.60	3.00	25.00
" alba	20	.75	3.50	25.00
Tradescantia Virginica fl. pl	25	1.00	3.00	
Trientalis Americana, col	10	.75	5.00	35.00
Trillum erectum, col	15	.60	4.00	
" erectum album, col	20	.75	4.00	
" grandiflorum	15	.50	2.50	15.00
" roseum	20	.75	5.00	
Tritoma Pfitzerii	15	1.00	5.00	
Typha angustifolia, col	15	.60	5 00	
" latifolia, col	15	. 6 o	5.00	
Vernonia hybrida	15	1.00	5.00	
" novaboracensis, col	20	.80	5.00	
Veronica Circæoides	15	.75		
" officinalis	25	.50	2.00	18.00
" longifolia subsessilis	25	1.00	5.00	
Viola cucullata	10	.50	1.50	IO CO
" pedata, col	15	.50	4.50	20.00
" Pink Gem	25	-75	5.00	
" Pinehurst	15	I.00	5.00	
" primulæfolia	25	1.00		
Woodwardia angustifolia, col	15	.60	4.00	25.00
" Virginica, col	15	.60	3.00	25.00
Xerophyllum asphodeloides, col	,			15.00
" in strong clumps, col	25	1.50	10 00	3
Yucca filamentosa	20	.70	3.50	
" (heavy plants)	25	1.50	7 00	

Trees, Shrubs and Woody Climbers.

		Each	10	100	1000
Acer rubrum, 5 to 8 feet, col		25	\$1.25	\$8. 00	
		20	.8o	4.00	
" " 3 to 4 feet. col		20	.75	3.00	
" " 2 to 3 feet, col		15	.50	2.50	\$15.00
" spicatum, col			2.00		
A 1 of the control of a		15	.50	3.00	
Althea, Crested Beauty, 2 to 3 feet		20	1.00	6.00	
" " 3 to 4 feet		25	1.50	10.00	
Amelanchier Canadensis, 3 to 4 feet, trans		15	I.00	6.00	
" col			.60	3.00	
Ampelopsis quinquefolia, 2 years		15	.60	3.00	
Andromeda arborea, I to 2 feet		15	1.00	7.00	
" 2 to 3 feet		25	1.50	10.00	
" calyculata, col		_	.60	2.00	15.00
" ligustrina, trans		15	.75		
" col		_	.60	3.00	25.00
Andromeda Mariana, I to 2 feet		20	1.00	5.00	-
" 2 to 3 feet		25	1.00	7.00	
" 6 to 12 inches		15	.75	4.00	
66 col			.75	3.50	25.00
" polifolia		25	.75	4.00	
" racemosa, 2 to 3 feet		25	1.50	10.00	
" col			.60	2.50	20.00
Asimina triloba		35	2.50		
Ascyrum Crux-Andræ, col		15	.60	3.00	
" stans, col.		15	.60	3.00	
Azalea arborescens, 10 to 15 inches		50	3.50	30.00	
" Amoena		50	4.00		
" calendulacea, I to 2 feet		36	2.00	18.00	
		50	4.00		
" canescens, I to 2 feet		30	2.50		
"		40	3.50		
// // C 1		25	2.00	20.00	
" large clump, 3 to 4 feet, col		50	4.00	30.00	
" nudiflora, 6 to 10 inches		50	2.00	10,00	
" " 10 to 15 inches		6 0	3.00	18.00	
" col			.60	3.00	25.00
" Vaseyi, 10 to 15 inches		50	3.50	30.00	J .
" viscosa, I to 2 feet		15	1.00	7.50	
" " 2 to 3 feet	• •	25	2.00	15.00	
" col		-3	.60	3.00	25.00
" 3 to 6 feet, with ball, col		I.40	10.00	3.00	25.50
Baccharis halimifolia, 3 to 4 feet		50	3.50	25.00	
" col		15	.75	5.00	30.00
-	-		•/3		30.00

-	Each		100	1000
Berberis Thunbergii		\$1.00	\$ 8.0 0	
" vulgaris, 10 to 12 inches	. IO	.40	2.00	
Betula lenta, 8 to 10 feet—XXX	. 50	3.50	30.00	
" 6 to 7 feet—XXX	. 30	2.50	20.00	
" col	•	.50	2.50	\$ 18.0 0
" populifolia, col		.50	1.50	10.00
Calycanthus Floridus, I to 2 feet	. 15	.75	5.00	
" 2 to 3 feet	. 20	1.00	6.o o	
Carpinus Americana, 2 to 4 feet, twice trans	. 25	1.00	7.00	
Celastrus scandens, col		.50	2.00	15.00
Cephalanthus occidentalis, I to 2 feet	. 10	.50	3.00	
" 2 to 3 feet	. 20	1.00	8.00	
" 3 to 4 feet	. 25			
Cercis Canadensis, I to 2 feet	. 25	1.00	6.00	
" " 3 to 4 feet	. 20	1.50	7.00	
" 5 to 6 feet	. 30	2.00	10.00	
Clematis Virginica, col		.50	2 50	18.00
Clethra alnifolia, 2 to 3 feet	. 15	.80	5.00	
" " I to 2 feet	. 10	.50	3.00	25.00
" col		.50	2.00	15.00
Comptonia asplenifolia, bushy	. 25	1.00	9.00	
" col		.50	2.50	15 00
Cornus Florida, 2 to 3 feet	. 15	1.00	10.00	
" 5 to 6 feet	. 30	3.00	25.00	
" col		.60	3.50	20,00
" mas, 2 to 3 feet	. 15		0.0	
" paniculata	. 20	1.00	8.00	
" col		.60	3.00	25.00
" sericea, 3 to 4 feet	. 20	.75	7.50	3
" col		.60	2.50	20.00
Corylus Americana, 2 to 3 feet, trans	. 30	2.00	10 00	
" " 3 to 5 feet, "		3.00	15.00	
" col		.60	3.00	20.00
Cratægus parvifolia, col.		.60	4.00	35.00
Cupressus thyoides col		.50	1.50	8.00
Diervilla trifida, trans	. 15	.60	6.00	0.00
" col	5	.60	3.00	25.00
" sessilifolia	. 20	1.00	3.00	23.00
Dirca pulustris, trans.		2.00		
Epigea repens, col. seedlings, with ball	. 25	I.00	6.00	
To a second	-	.60	2.50	20.00
Euonymus radicans	. 15	.60	3 50	20.00
		.75	3 30	
" variegata	-	·/5	4.00	
Datopicus, 3 to 4 feet	. 15	.60	3.00	
2 to 3 leet	. 15	.60	· ·	
Forsythia Fortunei, 3 to 4 feet	15	.00	4.00	

"" col. clumps .50 2.co Gaylussacia Dumosa, col. 15 .60 3.50 "" "frondosa, col. 15 .60 "" resinosa, col. 15 .50 2.00 Hammamelis Virginica 25 1.25 10.00 "" col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 " tomentosa, col. .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 "" 2 to 3 feet 25 1.00 7.50 "" " 2 to 3 feet 25 1.00 7.50 "" " col. .60 3.00 "" perforatum, col. 15 .60 4.00 " perforatum, col. 15 .60 3.00 " I to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00	1000 15.00 15.00 30.00 15.00 20.00 25.00 20.00
Gaultheria procumbens, col. 10 .40 \$1.50 \$ """ col. clumps .50 2.00 Gaylussacia Dumosa, col. 15 .60 3.50 """ resinosa, col. 15 .60 """ resinosa, col. 15 .50 2.00 Hammamelis Virginica 25 1.25 10.00 """ col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 """ tomentosa, col .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 """ 2 to 3 feet 25 1.00 7.50 """ """ col. .60 3.00 Hypericum densiflorum, col. 15 .60 4.00 Hypericum densiflorum, col. 15 .60 3.00 """ perforatum, col. 15 .60 3.00 """ I to 2 feet, with ball, transplanted 25 5.00 30.00 """ 2 to 3 feet, with ball, transplanted 2.00 10.00	15.00 30.00 15.00 20.00 25.00 20.00
Gaultheria procumbens, col. 10 .40 \$1.50 \$ """ col. clumps .50 2.00 Gaylussacia Dumosa, col. 15 .60 3.50 """ "frondosa, col. 15 .60 """ resinosa, col. 15 .50 2.00 Hammamelis Virginica 25 1.25 10.00 """ col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 """ tomentosa, col .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 """ 2 to 3 feet 25 1.00 7.50 """ """ col. .60 3.00 Hypericum densiflorum, col. 15 .60 4.00 Hypericum densiflorum, col. 15 .60 3.00 """ perforatum, col. 15 .60 3.00 """ perforatum, col. 15 .60 3.00 """ 1 to 2 feet, with ball, transplanted 25 5.00 30.00 <tr< td=""><td>15.00 30.00 15.00 20.00 25.00 20.00</td></tr<>	15.00 30.00 15.00 20.00 25.00 20.00
Gaylussacia Dumosa, col	15.00 30.00 15.00 20.00 25.00 20.00
"" resinosa, col. 15 .60 "" resinosa, col. 15 .50 2.00 Hammamelis Virginica 25 1.25 10.00 "" col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 " tomentosa, col .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 "" " 2 to 3 feet 25 1.00 7.50 "" " col. .60 3.00 Hypericum densiflorum, col. 15 .60 4.00 "" perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 "" I to 2 feet, with ball, transplanted 25 5.00 30.00 "" 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 "" I to 2 feet, bushy, transplanted 3.00 20.00	30.00 15.00 20 00 25.00 20,00
" resinosa, col. 15 .50 2.00 Hammamelis Virginica 25 1.25 10.00 " " col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 " tomentosa, col .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 " " 2 to 3 feet 25 1.00 7.50 " " " col. .60 3.00 Hypericum densiflorum, col. 15 .60 4.00 " perforatum, col. 15 .60 3.00 " perforatum, col. 15 .60 3.00 " 1 to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 " 1 to 2 feet, bushy, transplanted 3.00 20.00	30.00 15.00 20 00 25.00 20,00
Hammamelis Virginica	30.00 15.00 20 00 25.00 20.00
"" col .60 3.50 Hudsonia ericoides, col. 10 .50 2.00 " tomentosa, col .60 4.00 Hydrangea arborescens, I to 2 feet 15 .75 6.00 " " 2 to 3 feet 25 1.00 7.50 " " col. .60 3.c0 Hypericum densiflorum, col. 15 .60 4.00 " perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 " I to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 " I to 2 feet, bushy, transplanted 3.00 20.00	15.00 20 00 25.00 20.00
Hudsonia ericoides, col	15.00 20 00 25.00 20.00
"tomentosa, col	20 00 25.00 20,00
Hydrangea arborescens, I to 2 feet 15 .75 6.00 "" 2 to 3 feet 25 1.00 7.50 "" "Col. .60 3.00 Hypericum densiflorum, col. 15 .60 4.00 "" perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 "" I to 2 feet, with ball, transplanted 25 5.00 30.00 "" 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 "" I to 2 feet, bushy, transplanted 3.00 20.00	25.00 20,00
"" 2 to 3 feet 25 1.00 7.50 "" col. .60 3.co Hypericum densiflorum, col. 15 .60 4.00 " perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 " I to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 " I to 2 feet, bushy, transplanted 3.00 20.00	20,00
"" col. .66 3.co Hypericum densiflorum, col. 15 .60 4.00 "" perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 " I to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 " I to 2 feet, bushy, transplanted 3.00 20.00	20,00
Hypericum densiflorum, col	20,00
"" perforatum, col. 10 .75 5.00 Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 " I to 2 feet, with ball, transplanted 25 5.00 30.00 " 2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 " I to 2 feet, bushy, transplanted 3.00 20.00	
Ilex glabra, 6 to 12 inches, col. 15 .60 3.00 "I to 2 feet, with ball, transplanted 25 5.00 30.00 "2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 "1 to 2 feet, bushy, transplanted 3.00 20.00	35.00
"I to 2 feet, with ball, transplanted 25 5.00 30.00 "2 to 3 feet, with ball, col. 1.00 6.00 40.00 Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 "1 to 2 feet, bushy, transplanted 3.00 20.00	35.00
"1 to 2 feet, with ball, col	35.00
Ilex Opaca, 6 to 12 inches, transplanted 2.00 10.00 "I to 2 feet, bushy, transplanted 3.00 20.00	35.00
" I to 2 feet, bushy, transplanted 3.00 20.00	35.00
Prices quoted on larger sizes on application	
We cut leaves from all Ilex Opaca as soon as dug. Ilex verticillata, col	
" fruiting plants, 2 to 3 feet 50 3.50 25.00	
" I to 2 feet 30 2.50 20.00	
Itea Virginica, I to 2 feet	
" 2 to 3 feet	
" 3 to 4 feet 30 I.00 7.00	
Juniperus Virginiana, col	15.00
9 ,	15.00
	25.00
" latifolia, 6 to 12 inches, col	15.00
" 2 feet, with ball, col 40 2.50 20.00	
We have a fine lot of this grade of Kalmias growing on land which was burned over years ago, which we can furnish by thousand or carload at special prices.	some
Kolreuteria paniculata, 1 to 3 feet, trans 10 .50 3.00	
Ledum latifolium, col 20 I.00 5.00	
•	35.00
Leucothoe Catesbæii, 6 to 12 inches 20 1.00 7.00	33
" 12 to 15 inches 30 2.00 12.00	
Lindera Benzoin, 2 to 3 feet 30 2.00 6.00	
	25.00
Liquidambar styraciflua, 6 to 8 feet, twice trans 50 4.50	5
" 4 to 6 feet	
" col	


	Each	10	100	1000
Lonicera Brachypoda, col	15	\$0.60	\$3.00	\$25.00
" fragrantissima, 3 feet	15	I.00	" 0	" 5
" Halleana, 2 years	35	.75	3.50	25.00
Lyceum vulgare	10	.50	2.50	
Magnolia glauca, 4 to 6 inches, strong	20	1.50	15.00	
" transplanted, 6 to 12 inches, strong.	50	4.00	25.00	
Menispermum Canadense, col	15	.60	2.50	20.00
Myrica cerifera, 3 to 4 feet, very bushy	50	3.00	25.00	
" 2 to 3 feet—XXX	30	2 00	15.00	
" col		.75	3.50	
" gale, col		.75	3.50	30.00
Nyssa multiflora, 2 to 4 feet	50	3 50		_
Ostrya Virginica		1.25	8 00	
Oxydendrum Arboreum (see Andromeda)		-		
Platanus orientalis, 6 to 8 feet, trans	35	3.00	25.CO	
Prunus maritima, col	15	.60	3.00	20.00
" serotina, col	15	.60	3.00	20.00
" Virginiana, col	15	.60	3.00	25.00
Pyrus arbutifolia, var. Brilliantissima, 1 to 2 feet	15	.75	4.00	-
" melanocarpa, col		.60	3.00	
Rhododendron maximum	50	3.00	25.00	
" col. seedlings, 6 to 12 inches.		.75	2.00	18.00
" Catawbiense	50	4.00		
Rhus copalina, 2 to 3 feet—XX		1.00	7.50	
" 3 to 4 feet	25	2.00	10.00	
" col		.50	2.00	15.00
" glabra, col		.75	4.00	
"typhina, col	15	.60	2.50	20.00
" typhina laciniata, 4 to 5 feet	50	3.50		
Robinia hispida	15	.50	3.00	25.00
Rosa blanda	15	1.00	7.00	-
" Carolina, col		.60	3.00	18.00
" lucida, trans	20	1.25	7.00	
" col		.50	4.00	30 00
" nitida	20	1.25	7.00	
" setigera	15	1.25	7 00	
Rubus Canadensis, col	10	.40	1.50	10.00
" cuneifolius, col	10	.40	2 00	15.00
" hispidus, col		.50	1.50	7.50
" odoratus, col		.50	2.00	15.00
Sambucus Canadensis, col	20	.75	5.00	-
Sassafras, trans., 2 to 3 feet	25	2.00	15.00	
" " 3 to 4 feet	40	3.50	25.00	
" 4 to 5 feet	50	4.00	-	
" col.,		.50	3.00	25.00
Smilax rotundifolium, col	15	.60	3.00	25.00

	Each	10	100	1000
Smilax Walterii, col	25	\$1.0 0	\$6.00	
Spiræa Anthony Waterer, I to 2 feet	25	1.75	6.00	
" tomentosa, col		.60	2,00	\$15.00
" Van Houtteii, 3 to 4 feet, strong	15	.75	5.00	
Spiræa Callosa superba	25	1.00		
Staphylea trifolia, col	15	.60	3.00	25.00
Stuartia pentagynia	25	2.00		
Symphoricarpus vulgaris, 2 to 3 feet	10	.50	2.50	20.00
Tecoma radicans	10	.50	2.50	
Ulmus Americana, 6 to 8 feet, twice trans	35	3.00	25.00	
Vaccinium corymbosum	15	1.25	10.00	
" col		.60	3.00	25.00
" macrocarpon, trans	15	1.50	5.00	
" Pennsylvanicum, col		.60	3.00	25.00
" stamineum, I to 2 feet	25	1.50	10.00	
" col		.75	4.00	30.00
" vacillans, col		.60	3.00	25.00
Viburnum acerifolium, I to 2 feet	15	1.00	7.00	
" col		.60	3.00	25.00
" cassinoides, I to 2 feet	15	1.00	6.00	
" 2 to 3 feet	25	1.50	10 00	
" dentatum seedlings, 10 to 15 inches			1.25	10.00
" 3 to 4 feet, trans	15	1.00	4.00	
" nudum, col		.60	3.00	25.00
Virgilia lutea, 3 to 4 feet	50	2.00	10.00	
Xanthoxylum Americanum	25	.80		
" col		.75	4 00	30.00
Xanthorbiza apiifolia	20	1.25	6.00	50.00
Coniferous Ever	greei	ns.		
Arbor Vitæ, dwarf, I to 2 feet	25	1.50		
" " 3 to 4 feet ,	75	5.00		
Pinus rigida, seedlings, col		.50	1.50	12.00






CHIMAPHILA MACULATA
May-Flowered-Scented Pipsissewa
See page 5



Delicately scented See page 9

This work is all done under personal supervision Filling a fifteen carload order for Kalmia Latifolia.



NEW YORK ZOOLOGICAL PARK, Aug. 18th, 1906.
MR. WM. F. BASSETT: Dear Sir: The Kalmias, ten carloads in all, that we received from you, have done exceedingly well, as might be expected from stock as carefully dug as yours was. We expect a fine show next season, and I hope to be able to send you some photographs of them.